

OPTICS | MOUNTS | ELECTRONICS



Made in Germany



Intuition • Innovation • Perfection





About Us

The **MAK Group** is composed of global companies that supply to civil and government market its innovative and high-quality products with international teams of engineers, product designers, tactical users and production capacities based on the latest technologies.

Our numerous patented solutions for optical mounts and electronics enjoy the highest recognition among **hunters, sports shooters, nature lovers and professional users** worldwide.

In addition to mass-produced standard products for the civilian market, **MAK Group** also designs, develops and produces tailor-made solutions for professional use. The practical experience and requirements of the users are implemented **flexibly, precisely and cost-consciously** with our many years of experience and know-how.



MAK Online-Shop

MAK, the innovative company with high-quality products and numerous patented solutions in the fields of **optics, mounts and electronics**, is now presenting its new online shop. The new online shop has a clear design, clear structure and comprehensive product information. It also presents a **configurator for MAK mounts**. With the help of the brand new **MAK mount configurator**, the right mount for the desired weapon/optic combination can be determined very quickly and precisely. Information about the product, product number, delivery time and recommended retail price can be found by simply selecting the desired criteria.



The MAK-Shop
can be found at:

<https://mak.ag>
or scan the QR-Code



Contents

OPTICS



Page 4

MOUNTS



Page 12

ELECTRONICS



Page 34



MAKpro 5-25x56i HD Premium Riflescope



- Maximum optical performance: field of view, contrast and image quality.
- Absolutely reliable repeatability and precise, well-defined clicks.
- Professional solution for the highest expectations.



mrad reticle

Orientation pin
after one turn

Technical specifications

Model	MAKpro 5-25x56i HD
Magnification	5-25
Lens diameter	56 mm
Center tube diameter	34 mm
Eye Relief	97 mm
Field of view at 100 m	7.4 m / 1.5 m
Diopter adjustment	+2 / -2.5
Elevation adjustment range	+/- 50 moa
Windage adjustment range	+/- 25 moa
Light transmission	+90 %
Illumination	Yes
Battery	CR2032
Waterproof	IP 67
Length	348 mm
Weight	1015 g
Order No.	265305601





MAKpro 1-6x24i HD Premium Riflescope



- Extra low dispersion (HD) glass combined with high transmission glass offers industry-leading light transmission and optical clarity for every condition.
- Absolutely reliable repeatability and precise, well-defined clicks. Professional solution for the highest demands.



4-Dot reticle



Zero-System-Technology



Technical specifications

Model	MAKpro 1-6x24i HD
Magnification	1-6
Lens diameter	24 mm
Center tube diameter	30 mm
Eye distance	98 mm
Field of view at 100 m	39 m / 6.5 m
Diopter adjustment	+2 / -2.5
Elevation adjustment range	36.3 mrad
Windage adjustment range	36.3 mrad
Light transmission	+90 %
Illumination	Yes
Battery	CR2032
Waterproof	IP 67
Length	265 mm
Weight	527 g
Order No.	261602401





MAKstorm 4x30i HD

Premium Prismatic Sight

- Engineered and optimized for high performance with the highest quality lenses.
- Designed to fit for both 5.56 and 7.62 ammunition.
- The improved optical prism system enables a short and compact design.



The etched glass Circle-Dot illuminated reticle has 12 intensity levels.



Technical specifications

Model	MAKstorm 4x30i HD
Magnification	4x
Lens diameter	30 mm
Parallax free	100 m
Eye Relief	58 mm
Field of view at 100 m	12.5 m
Diopter adjustment	+3 / -3.0
Elevation adjustment range	30 mrad
Windage adjustment range	30 mrad
Light transmission	+90 %
Illumination	Yes
Battery	CR2032
Waterproof	4 m
Dimensions (LxBxH)	20x64x56 mm
Weight	400 g.
Order No.	265305601



Incl.
Standard mounting



MAKmasterLock
Mounting (Page 17)



MAKdot S 1x20i

Premium Red Dot Sight

MAKdot S is a high-end closed red dot sight with a very bright and sharp 2 MOA aiming dot and 85% light transmission for a clear, bright and undistorted image.



Technical specifications

Model	MAKdot S 1x20i
Magnification	1x
Lens diameter	20 mm
Red dot size	2 moa
Adjustment per click	0.15 mrad
Digital Intensity Levels	12 (8+4)
Battery	AAA
Waterproof	4 m
Dimensions (LxBxH)	71x41x41 mm
Weight	120 g
Order No.	27850120



Incl.
Standard mounting



Matching mounts
(Page 16,17)



MAKnifier S3

Premium Magnifier

Make your red dot or holo sight even more versatile and flexible with an ultra-compact, lightweight and optically razor-sharp magnifier.




This magnifier goes best with the MAKcomboSystem

Technical specifications

Model	MAKnifier
Magnification	3x
Lens diameter	20 mm
Eye Relief	68 mm
Field of view at 100 m	12.7 m
Diopter adjustment	+2 / -2.5
Elevation adjustment range	40 moa
Windage adjustment range	40 moa
Light transmission	+85 %
Waterproof	4 m
Dimensions (LxBxH)	75x43x39 mm
Weight	200 g.
Order No.	25300302



By pressing the safety button, the spring-loaded magnifier automatically tilts to side



MAKflip Mounting
Order No. 7052-00302



MAKcomboSystem

Premium Red Dot Sight + Magnifier

The automatically clamping MAKmasterlock mount combines MAKdot S and MAKnifier S3 into an optical system from MAK that can switch magnification at lightning speed.

The MAKcomboSystem consists of the following components: MAKdot S 1x20i red dot sight, MAKnifier S3 with 3x magnification and the MAKmasterLock mount.



With the MAKcomboSystem, „MAK“ delivers a first-class, compact and reliable sighting system that allows lightning-fast switching between 1x and 3x magnification.



MAKcomboSystem
Order No. 68580-2725



MAKdot SH (for long guns) Premium Red Dot Sight



Clearly defined
click adjustment

1 Click = 1moa

- Whether AR platform or shotgun, the MAKdot SH enables extremely fast target acquisition on all rifles.
- After 4 hours without movement, it switches itself off completely, thus greatly increasing battery life.
- Full field of view because of „binocular“ shooting.



The battery compartment
on the side allows you to
change the battery without
removing the sight from the
gun.

Technical specifications

Model	MAKdot SH
Magnification	1x
Window height	28 mm
Window width	17 mm
Dot size	3.5 moa
Digital Intensity Levels	8
Battery	CR2032
Waterproof	1 m
Dimensions (LxBxH)	48x36x28.5 mm
Weight	30 g.
Order No.	27850003



Matching
mountings
(Page 16)



MAKdot SXP (for pistols) Premium Red dot sight



- Super compact.
- High performance thermoplastic(PPS Polymer).
- Automatic brightness control.
- Battery life up to 50,000 hours.



Technical specifications

Model	MAKdot SXP
Magnification	1x
Window height	22 mm
Window width	16 mm
Dot size	3.5 moa
Shockproof	1500G
Battery	CR2032
Dimensions (LxBxH)	41x24x28 mm
Weight	13 g.
Order No.	27860003



**MAKpromont** Monoblock

Quick release mount for Picatinny



- Patented monoblock quick release mount with self-locking lever lock for Picatinny rail.
- The mount is adjustable to all Picatinny rails without any tools.
- Built-in bubble level.
- Absolute repeatability.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.
- Due to the design with interfaces, additional accessories can be attached to the mount at an angle.

Ring Ø	Height	Offset	Order No.
30 mm	17 mm	0 moa	53500-30178
30 mm	23 mm	0 moa	53500-30238
30 mm	17 mm	20 moa	53520-30178
30 mm	23 mm	20 moa	53520-30238

Ring Ø	Height	Offset	Order No.
34 mm	15 mm	0 moa	53500-34158
34 mm	21 mm	0 moa	53500-34218
34 mm	21 mm	20 moa	53520-34218
34 mm	21 mm	40 moa	53540-34218

MAKpromont Monoblock

Fix Mount for Picatinny



Ring Ø	Height	Offset	Order No.
30 mm	17 mm	0 moa	53600-30178
30 mm	23 mm	0 moa	53600-30238
30 mm	17 mm	20 moa	53620-30178
30 mm	23 mm	20 moa	53620-30238

Ring Ø	Height	Offset	Order No.
34 mm	15 mm	0 moa	53600-3415
34 mm	21 mm	0 moa	53600-3421
34 mm	21 mm	20 moa	53620-3421
34 mm	21 mm	40 moa	53640-3421



The MAKpromont goes best with the MAKpro 5-25x56i HD (Page 4)



MAKpromont Offset 2"

Mount for Picatinny



- Patented monoblock quick release mount with self-locking lever lock for Picatinny rail.
- The mount is adjustable to all Picatinny rails without any tools.
- Built-in bubble level.
- Absolute repeatability.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.
- Due to the design with interfaces, additional accessories can be attached to the mount at an angle.

Ring Ø	Height	Offset	Order No.
30 mm	23 mm	0 moa	53502-30238
34 mm	21 mm	0 moa	53502-34218
34 mm	21 mm	20 moa	53522-34218

The ideal mounts for tactical sport shooters and long range shooters.

MAKpromont Offset 2"

Fix Mount for Picatinny



- Built-in bubble level.
- Absolute repeatability.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.
- Due to the design with interfaces, additional accessories can be attached to the mount at an angle.

Ring Ø	Height	Offset	Order No.
30 mm	23 mm	0 moa	53602-30238
34 mm	21 mm	0 moa	53602-34218
34 mm	21 mm	20 moa	53622-34218



MAKmilmont Monoblock Mount for Picatinny



- MAKmilmont monoblock mount is designed for the toughest conditions. It is used by numerous special units in many countries.
- Absolute repeatability
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.

Ring Ø	Height	Offset	Order No.
30 mm	17 mm	0 moa	57600-3000
30 mm	23 mm	0 moa	57600-3010
30 mm	17 mm	20 moa	57620-3000
30 mm	23 mm	20 moa	57620-3010

Ring Ø	Height	Offset	Order No.
34 mm	17 mm	0 moa	57600-3400
34 mm	23 mm	0 moa	57600-3410
34 mm	17 mm	20 moa	57620-3400
34 mm	23 mm	20 moa	57620-3410

MAKmilmont Monoblock with interfaces Mount for Picatinny



- MAKmilmont monoblock mount is designed for the toughest conditions. It is used by numerous special units in many countries.
- Absolute repeatability
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.
- Due to the design with interfaces, additional accessories can be attached to the mount at an angle.

Ring Ø	Height	Offset	Order No.
30 mm	17 mm	0 moa	57600-3008
30 mm	23 mm	0 moa	57600-3018
30 mm	17 mm	20 moa	57620-3008
30 mm	23 mm	20 moa	57620-3018

Ring Ø	Height	Offset	Order No.
34 mm	17 mm	0 moa	57600-3408
34 mm	23 mm	0 moa	57600-3418
34 mm	17 mm	20 moa	57620-3408
34 mm	23 mm	20 moa	57620-3418



MAKuick Monoblock Mount for Picatinny



- The patented MAKuick monoblock mount is designed for the toughest conditions. It is used by numerous special units in many countries.
- Absolute repeatability.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.

Ring Ø	Height	Offset	Order No.
30 mm	17 mm	0 moa	52500-3000
30 mm	23 mm	0 moa	52500-3010
30 mm	17 mm	20 moa	52520-3000
30 mm	23 mm	20 moa	52520-3010

Ring Ø	Height	Offset	Order No.
34 mm	17 mm	0 moa	52500-3400
34 mm	23 mm	0 moa	52500-3410
34 mm	17 mm	20 moa	52520-3400
34 mm	23 mm	20 moa	52520-3410

MAKuick Monoblock with interfaces Mount for Picatinny



- The patented MAKuick monoblock mount is designed for the toughest conditions. It is used by numerous special units in many countries.
- Absolute repeatability.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.
- Due to the design with interfaces, additional accessories can be attached to the mount at an angle.

Ring Ø	Height	Offset	Order No.
30 mm	17 mm	0 moa	52500-3008
30 mm	23 mm	0 moa	52500-3018
30 mm	17 mm	20 moa	52520-3008
30 mm	23 mm	20 moa	52520-3018

Ring Ø	Height	Offset	Order No.
34 mm	17 mm	0 moa	52500-3408
34 mm	23 mm	0 moa	52500-3418
34 mm	17 mm	20 moa	52520-3408
34 mm	23 mm	20 moa	52520-3418



MAKuick 3

Quick release mount for Picatinny

Standard ZF



Swarovski, Zeiss



MAKdot S, Aimpoint



MAKdot SH, Docter Sight, Burris



- Quick release mount.
- Self-locking lever lock.
- The locking lever is locked and opened at right angles to the firing direction.
- Adjustable without any tools.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.

Ring Ø	Height	Order No.
30 mm	10.5 mm	5263-3010
30 mm	14.0 mm	5263-3014
30 mm	19.0 mm	5263-3019
34 mm	10.5 mm	5263-3410
34 mm	14.0 mm	5263-3414
34 mm	19.0 mm	5263-3419

For ZF	Height	Order No.
Swarovski	8.0 mm	5263-6008
Zeiss	8.0 mm	5263-4508

Reflex Sight	Height	Order No.
MAKdot S/Aimpoint	8.0 mm	5263-1008
MAKdot S/Aimpoint	21.0 mm	5263-1021

Docter Sight/Burris	8.0 mm	5263-9008
MAKdot SH	8.0 mm	5263-9108



MAKmasterLock

Automatic-Mount for Picatinny

Standard ZF



MAKstorm



MAKdot S, Aimpoint



- Quick release mount.
- Self-locking lever lock.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.

MAKmasterLock without offset

Ring Ø	Height	Order No.
26 mm	14.5 mm	60560-2602
30 mm	14.5 mm	60560-3002
34 mm	14.5 mm	60560-3402
36 mm	14.5 mm	60560-3602
40 mm	14.5 mm	60560-4002

MAKmasterLock with Offset

26 mm	23.0 mm	60563-2600
30 mm	23.0 mm	60563-3000
34 mm	23.0 mm	60563-3400



MAKstorm Page 6

Reflex Sight	Height	Order No.
MAKstorm	1 6.0 mm	60560-8000
MAKdot S / Aimpoint	1 0.0 mm	60520-1000



MAK P-Lock

The innovative reflex sight mount for pistols



MOUNTS



Dimensions: 33 x 51 x 65 mm
Weight : 58 g (without sight)


- Lightning-fast assembly and disassembly without tools. No modification to the weapon required.
- Locks automatically on pistol underbarrel rails.
- 100% recoil proof and repeatable for highest shooting precision.
- Automatic activation of the stopper and associated jaw.
- Low line of sight due to monoblock design.
- Housing and moving parts are manufactured from extremely hard 7075 T6 aluminum.



**Holster for P-Lock only available
for Glock !**

**For other weapon models on request!
Order No.
7615001**

Suitable for reflex sight MAKdot SH, (Page 10)
P-Lock also available as a set!



Aiming using iron
sight possible

Brand	Model	Order No.
Glock	17/19 Gen 3/4	6150-9101
	17/19 Gen 5	6150-9111
Sig Sauer	X5/X6 P226	6150-9112
H&K	SFP 9	6150-9103
Walther	Q5	6150-9104
	PDP	6150-9111
CZ	SP01/P10 S/Taipan	6150-9105
	Shadow 2	6150-9115
Schmeisser	Hugo 1911	6150-9106
Canik	TP9 Elite Combat	6150-9155



MAK V-Lock

The variable inclination mount for paintball, airsoft and bow



- The patented MAK V-Lock mount is designed for the toughest conditions.
- Fast aiming - high probability of first hit.
- Machined from solid 7075 T6 aluminum. All functional parts are manufactured from tempered steel, hardened and coated.



mounting options:
M-Lok, Key-Mod, Picatinny



Suitable for reflex sight MAKdot SH, (Page 10)
V-Lock also available as a set!



MAKompetition

Mount for Picatinny



Designation	Order No.
MAKompetition Base with Quick-Closure	50572-0000



Designation	Order No.
MAKompetition Base with Fix-Closure	51572-0000



Designation	Order No.
MAKompetition for MP5	5122-50205
MAKompetition for G36,T41,T43,T94	5122-50204



Designation	Order No.
For ZM-ähnliche Ausführung (Dedal)	2460-0040
For Fortuna One	2460-0060
For Pulsar Apex/Trail	2460-0100
For X Sight I	2460-0070
For X Sight II	2460-0071

MAKompetition

Rings and Adapter



Designation	Ring Ø	Height	Order No.
45° diagonal	30 mm	5.0 mm	24655-3005
45° diagonal	34 mm	5.0 mm	24655-3405
45° diagonal	34 mm	7.5 mm	24655-3407



Designation	Ring Ø	Height	Order No.
45° diagonal with Interfaces	30 mm	5.0 mm	24645-3005
45° diagonal with Interfaces	34 mm	5.0 mm	24645-3405



Designation	Ring Ø	Height	Order No.
45° diagonal with Interfaces	30 mm	5.0 mm	24605-3005
45° diagonal with Interfaces	34 mm	5.0 mm	24605-3405



MAKompetition

Adapter for rings with interfaces



MAKompetition

Picatinny- Rails



QPQ Coated

Steel Picatinny Rails

For Rifles 1 Pcs.



QPQ Coated

Steel Picatinny Rails

For Rifles 2 Pcs.



QPQ Coated

Designation	Order No.
Picatinny	3300-5000
Picatinny with offset	3300-5100
MAKdot S Aimpoint Micro H1	3300-1000
MAKdot SH Docter Sight	3300-9000
Adapter-Ring for Lamps	3300-2605

Length	Order No.
160 mm	3300-5000
240 mm	3300-5100

Weapon models	Order No.
Benelli Rafaello	5520-50121
FN-BAR	5520-50003
Heckler & Koch SLB 2000	5520-50058
Mauser 98	5520-50010
Merkel SR 1	5520-50117
Remington 700 Short	55201-50012
Remington 700 Long	55202-50012
Sauer 202 Standard	55201-50080
Sauer 202 Magnum	55202-50080
Steyr SSG 69	5520-50069
Steyr SBS Multirail (S,L,M)	55202-50089
Steyr SBS Multirail (S,L,M) 20 MOA	55222-50089
Sako TRG 42	5520-50042
Sako 75/ 85	5520-50054
Tikka T3	5520-50107

Weapon models	Order No.
FN-BAR	5510-50003
Mauser 98	5510-50010
Remington 700	5510-50012
Steyr SM12	5510-50090

**MAKuick / one piece.**

For factory prepared Rifles

Order example:

MAKuick one-piece Quick release mount for Repeating Rifles (50) for a CZ (7).

Height 2.5mm (2) and 30mm center tube diameter (30) for a CZ550 (047).

50 7 2 - 30 047



Design type	Identification
Standard lever	50
Folding lever	501

Manufacturer	Identification
Blaser	9
CZ, Sako, Sauer, Tikka	7
Merkel	6

Height	Identification
2.5 mm	2
5.0 mm	4
10.0 mm	8

Target optics	Identification
1" 26 mm	26
30 mm	30
34 mm	34
36 mm	36
40 mm	41
Picatinny-Rail	50
Swarovski-Rail	60
Zeiss-Rail	45

Manufacturer	Model	WKZ
Blaser	R93	193
	R8	194
CZ	527	041
	550	047
Merkel	KR 1 Offset	162
	KR 1 w/o offset	164
	RX.Helix,	163
	Picatinny	
Sauer	303	133
	404	144
Sako	75	054
	85 S	154
	85 M	254
Tikka	T 3	107

**Folding lever****Standard lever**



MAKuick / one piece.

For Drop-Barrel Weapons Rail width 12mm

MAKuick is mounted on drop-barrel weapons with the appropriate adapter rail.
Please order these separately.
(See below)

50 2 2 - 30 00

Design type	Identification
Standard lever	50
Fixed mount	51

Ring height	Identification
2.5 mm	2
5.0 mm	4
10.0 mm	8

Target optics	Identification
1" 26 mm	26
30 mm	30
34 mm	34
36 mm	36
40 mm	41
Picatinny-Rail	50
Swarovski-Rail	60
Zeiss-Rail	45

**Standard lever****Fix-Mounting**

MAKuick Adapterrails For Rifles and Shotguns



Rifles	Order No.
FN-BAR, Benelli Argo	5520-0003
Heckler & Koch SLB 2000	5520-0058
Heckler & Koch SL 7	5520-0115
Marlin	5520-0120
Merkel SR1	5520-0117
Verney Carron Auto Impact	5520-0066

Shotguns	Order No.
B. Rizzini	5520-0003
Chapuis O/U Express Superpose	5520-0500
Chapuis S/S Express Juxtapose	5520-0503
Zoli Drilling	5520-0200



MAKflex Bridge pivot mounting

For Rifles and Drop-barrel weapons

**20 2 0 - 30 00****2**

Design type	Identification no.
Screw cap	20
EAW	21
Original Steyr	24

MAKflex Short

Target optics	Identification
1" 26 mm	26
30 mm	30
34 mm	34
36 mm	36
40 mm	41
Picatinny-Rail	50
Swarovski-Rail	60
Zeiss-Rail	45

Rings from Aluminium

For MAKuick and MAKflex

1"26 mm Ring	
Heigh	Order No.
2.5 mm	2460-2602
5.0 mm	2460-2605
7.5 mm	2460-2607
10.0 mm	2460-2610

30 mm Ring	
Heigh	Order No.
2.5 mm	2460-3002
5.0 mm	2460-3005
7.5 mm	2460-3007
10.0 mm	2460-3010

34 mm Ring	
Heigh	Order No.
2.5 mm	2460-3402
5.0 mm	2460-3405
11.0 mm	2460-3011

36 mm Ring	
Overall height	Order No.
2.5 mm	2460-3602
5.0 mm	2460-3605

40 mm Ring	
Overall height	Order No.
3.0 mm	2460-4003
5.0 mm	2460-4005



Front Pivot

Universal	
Heigh	Order No.
4.0 mm	2000-0004

For original Steyr	
Heigh	Order No.
4.0 mm	2400-0004



Adapter

For EAW-Rearbasen	
Heigh	Order No.
4.0 mm	1410-0000

For Steyr-Rear plate	
Heigh	Order No.
7.0 mm	1440-1507

For Merkel SL1,SL2 Rear plate	
Heigh	Order No.
7.5 mm	1420-0807





MAKlassic. Two-piece swivel mount

For Rifles and Drop-barrel weapons



10 2 4 - 30 080

Design type	Order number
Screw cap	10

Heigh	Order number
17,0mm	2
18,5mm only Zeiss ZM/VM	4

Offset	Order number
34mm	4

Weaponsidentification no. for Weapon models (WKZ)

Target optics	Identification
1" 26 mm	26
30 mm	30
34 mm	34
36 mm	36
Swarovski-Rail	60
Zeiss-Rail	45

Weapon identification no.

Manufacturer	Model	WKZ
Antonio Zoli	1900	067
Benelli	ARGO	003
Brno	ZKK 600 / CZ 550 CZ 531	047 065
Carl Gustav	1896 / 1900 2000 / 3000 4000	005 095 037
Fabarm	Iris	040
FN Browning	A-Bolt / Eurobolt BLR / CLR European Browning Mauser	002 057 056 004
Haenel	Jaeger 10	110
Heckler & Koch	SLB 2000	058
Heym	SR 20 SR 21 SR 30	060 039 099
Kongsberg	M389	061
Krico	600 / 700 / 900 / 902	006
Lakeland	M 389	071
Mauser	M 12 66 94 / 96 No. 96012000 > K 98	020 009 096 010
Merkel	SR 1	117
Parker Hale	Safari 1200	011
Remington	700 7400 / 7600	012 013

Manufacturer	Model	WKZ
RWS/Rössler	Titan 6	108
Sabatti	Rover	075
Sako	Forester/Finnbear/FW 75 / 85	053 054
Santa Barbara	Repetierer	044
Sauer	200 202 100 101	059 080 082 081
Savage	110 / 116 Kojak	016
Schultz & Lar.	M 97	104
Steyr	Classic SBS M 086 SM 12 SL / L-Jagdmatch	089 086 090 018
Swiss Arms	SHR 970	109
Tikka	55 / 65 / 558 / 658 T 3	031 107
Verney Carron	Automat	066
Voere	2165 Kufstein Titan 2 2185 Automat	021 045 083
Weatherby	Mark V / 300 / Vanguard	023
Winchester	70 70 Model.223 / .243 SXR Vulkan	024 114 025
Zastava	Mini Mauser 70	008 049




MAKlassic

Rear plates for Rifles

Manufacturer	Model	Ord.No.
Antonio Zoli	1900	1480-0067
Benelli	ARGO	1480-0003
Brno	CZ 527 / Fox / ZKB 680 ZKK 600 / CZ 550 CZ 531	1480-0041 1480-0047 1480-0065
Carl Gustav	1896 / 1900 2000/ 3000 4000	1480-0005 1480-0095 1480-0037
Fabarm	Iris	1480-0040
FN Browning	A-Bolt / Eurobolt BAR 1 / BAR 2 / CBL / Acera BLR / CLR European Browning Mauser X-Bolt	1480-0002 1480-0003 1480-0057 1480-0056 1480-0004 1480-0128
Haenel	Jaeger 10	1480-0110
Heckler & Koch	SLB 2000	1480-0058
Heym	SR 20 SR 21 SR 30	1480-0060 1480-0039 1480-0099
Kongsberg	M389	1480-0061
Krico	600 / 700 / 900 / 902	1480-0006
Lakeland	M 389	1480-0071
Mauser	M 12 225 Titan 2 66 94 / 96 > No. 96011999 94 / 96 No. 96012000 > K 98	1480-0020 1480-0035 1480-0009 1480-0094 1480-0096 1480-0010
Merkel	SR 1	1480-0117
Parker Hale	Safari 1200	1480-0011
Remington	700 7400 / 7600 seven	1480-0012 1480-0013 1480-0078

Manufacturer	Model	Ord.No.
RWS/Rössler	Titan 6	1480-0108
Sabatti	Rover	1480-0075
Sako	Forester/Finnbear/Finnwolf 75 / 85	1480-0053 1480-0054
Santa Barbara	Bolt action rifle	1480-0044
Sauer	80 / 90 / 92 100 101 200 202 STR	1480-0015 1480-0082 1480-0081 1480-0059 1480-0080 1480-0106
Savage	110 / 116 Kojak	1480-0016
Schultz & Larsen	M 97	1480-0104
Steyr	Classic SBS M 086 SM 12 SL / L-Jagdmatch	1480-0089 1480-0093 1480-0086 1480-0090
Swiss Arms	SHR 970	1480-0109
Tikka	55 / 65 / 558 / 658 590 / 690 Master T 3	1480-0031 1480-0043 1480-0038 1480-0107
Verney Carron	Automatic Repetierer	1480-0066 1480-0019
Voere	2165 Kufstein Titan 2 2185 Automatic	1480-0021 1480-0045 1480-0083
Weatherby	Mark V / 300 / Vanguard	1480-0023
Winchester	70 70 Model.223 /.243 WSSM SXR Vulkan	1480-0024 1480-0114 1480-0025
Zastava	Mini Mauser 70	1480-0008 1480-0049



MAKclassic

Spacer roller with polygonal setting



Heigh	Order number
0.5mm	1440-0005
1.0mm	1440-0010
1.5mm	1440-0015
2.0mm	1440-0020
2.5mm	1440-0025
3.0mm	1440-0030
3.5mm	1440-0035

Heigh	Order number
4.0 mm	1440-0040
4.5 mm	1440-0045
5.0 mm	1440-0050
5.5 mm	1440-0055
6.0 mm	1440-0060
6.5 mm	1440-0065
7.0 mm	1440-0070

Heigh	Order number
7.5 mm	1440-0075
8.0 mm	1440-0080
8.5 mm	1440-0085
9.0 mm	1440-0090
10.0 mm	1440-0100
12.0 mm	1440-0120

MAKclassic

Rear feet with Screw cap for 15mm Standard prism.

Ring height: 2.0 mm

Spacers Overall height: 12.0 mm

Closure Overall height: 8.0 mm



Target optics	Order number
1"/26 mm tube	1458-2600
30 mm tube	1458-3000
34 mm tube	1458-3400
Swarovski-Rail	1458-6000

MAKclassic

Rear Rings from steel-classic



Diameter	Heigh	Order number
1"/26 mm	2.0 mm	1460-2602
30 mm	2.0 mm	1460-3002
34 mm	2.0 mm	1460-3402

MAKclassic

Rear Rings from steel-Half Rings



Diameter	Heigh	Order number
30 mm	2.0 mm	1465-3002
34 mm	2.0 mm	1465-3402
36 mm	2.0 mm	1465-3602

MAKclassic

Rear prisms



Target optics	Heigh	Order number
Swarovski-Rail	2.0 mm	1465-3402
Zeiss-Rail	3.0 mm	1465-3602



MAKlassic

Front plates for Rifles

Manufacturer	Model	Ord.No.
Antonio Zoli	1900	1680-0067
Benelli	ARGO	1680-0003
Brno	ZKK 600 / CZ 550 CZ 531	1680-0047 1680-0065
Carl Gustav	1896 / 1900 2000/ 3000 4000	1680-0005 1680-0095 1680-0037
Fabarm	Iris	1680-0040
FN Browning	A-Bolt / Eurobolt BLR / CLR European Browning Mauser	1680-0002 1680-0057 1680-0056 1680-0004
Haenel	Jaeger 10	1680-0110
Heckler & Koch	SLB 2000	1680-0058
Heym	SR 20 SR 21 SR 30	1680-0060 1680-0039 1680-0099
Kongsberg	M389	1680-0061
Krico	600 / 700 / 900 / 902	1680-0006
Lakelander	M 389	1680-0071
Mauser	M 12 66 94 / 96 > No. 96011999 94 / 96 No. 96012000 > K 98	1680-0020 1680-0009 1680-0094 1680-0096 1680-0010
Merkel	SR 1	1680-0117
Parker Hale	Safari 1200	1680-0011
Remington	700 7400 / 7600	1680-0012 1680-0013

Manufacturer	Model	Ord.No.
RWS/Rössler	Titan 6	1680-0108
Sabatti	Rover	1680-0075
Sako	75 / 85	1680-0054
Santa Barbara	Repetierer	1680-0044
Sauer	100 101 200 202	1680-0082 1680-0081 1680-0059 1680-0080
Savage	110 / 116 Kojak	1680-0016
Schultz & Lar.	M 97	1680-0104
Steyr	Classic SBS M 086 SM 12 SL / L-Jagdmatch	1680-0089 1680-0086 1680-0090 1680-0018
Swiss Arms	SHR 970	1680-0109
Tikka	55 / 65 / 558 / 658 T 3	1680-0031 1680-0107
Verney Carron	Automat	1680-0066
Voere	2165 Kufstein Titan 2 2185 Automat	1680-0021 1680-0045 1680-0083
Weatherby	Mark V / 300 / Vanguard	1680-0023
Winchester	70 70 Model.223 /.24WSSM SXR Vulkan	1680-0024 1680-0114 1680-0025
Zastava	Mini Mauser 70	1680-0008 1680-0049





MAKlassic

Front base

Front base, Diameter 1" / 26 mm, with vertical Tolerance compensation, Ring width: 15mm		
Offset	Overall height	Ord.No.
34.0 mm	12.0 mm	1630-2624

Front base, Diameter 30 mm, with vertical Tolerance compensation, Ring width: 15mm		
Offset	Overall height	Ord.No.
34.0 mm	12.0 mm	1630-3024



Front base, Diameter 34 mm, with vertical Tolerance compensation, Ring width: 15mm		
Offset	Overall height	Ord.No.
34.0 mm	12.0 mm	1630-3424

Front base, Diameter 36 mm, with vertical Tolerance compensation, Ring width: 15mm		
Offset	Overall height	Ord.No.
34.0 mm	17.0 mm	1630-3624

Front base, Zeiss-Rail with vertical Tolerance compensation, width: 35 mm		
Offset	Overall height	Ord.No.
34.0 mm	13.5 mm	1630-4524

Front base, Swarovski-Rail with vertical Tolerance compensation, width: 35 mm		
Offset	Overall height	Ord.No.
34.0 mm	12.0 mm	1630-6024





Mounts for red dot sights



MAKuick 3 Quick release mounts		
Optic	Heigh	Order number
MAKdot S/Aimpoint	8.0 mm	5263-1008
MAKdot S/Aimpoint	21.0 mm	5263-1021
Docter Sight/Burris	8.0 mm	5263-9008
MAKdot SH	8.0 mm	5263-9108



With
MAKdot SH
(Page 10)



With
MAKdot S
(Page 7)



MAKmasterLock Automatic Mounting		
Optic	Heigh	Order number
MAKdot S/Aimpoint	10.0 mm	60520-1000



Mounts for red dot sights

MAKnetic for Rifles	
Optic	Order number
Aimpoint Micro & Blaser R 8	30194-1000
Docter Sight & Blaser R 8	30194-9000
Aimpoint Micro & Blaser R 93	30193-1000
Docter Sight & Blaser R 93	30193-9000
Docter Sight & Mauser M 03	30103-9000
Aimpoint Micro & Merkel KR 1	30162-1000
Docter Sight & Merkel KR 1	30162-9000
Docter Sight & Sauer 303	30133-9000



MAKnetic for Shotguns	
Optic	Order number
Docter Sight & 6 mm Rail	3006-9000
Docter Sight & 8 mm Rail	3008-9000
Docter Sight & 10 mm Rail	3010-9000
Docter Sight & 12 mm Rail	3012-9000
Docter Sight & 14 mm Rail	3014-9000
Aimpoint Micro & 10 mm Rail	3010-1000
Aimpoint Micro & 12 mm Rail	3012-1000
Aimpoint Micro & 14 mm Rail	3014-1000

MAKlick Swivel mount	
Optic	Order number
Aimpoint Micro	3000-1000
Aimpoint Comp	3000-3000
Aimpoint Z-Point	3000-5000
Docter Sight	3000-9000

MAKuick Quick release mount for Blaser R8 Folding lever		
Optic	Height	Order number
MAKdot S/Aimpoint	13.5 mm	50192-10194
MAKdot S/Aimpoint	8.5 mm	50192-90194

MAKuick Quick release mount for Blaser R93 Folding lever		
Optic	Height	Order number
MAKdot S/Aimpoint	13.5 mm	50192-10193
MAKdot S/Aimpoint	8.5 mm	50192-90193



MAKuick Quick release mount for Blaser R8 Standard lever		
Optic	Height	Order number
MAKdot S/Aimpoint	13.5 mm	5092-10194
MAKdot S/Aimpoint	8.5 mm	5092-90194

MAKuick Quick release mount for Blaser R93 Standard lever		
Optic	Height	Order number
MAKdot S/Aimpoint	13.5 mm	5092-10193
MAKdot S/Aimpoint	8.5 mm	5092-90193





Mounts for Thermal MAKuick



MAKuick Base	
Model	Order number
CZ 527	5072-00041
CZ550	5072-00047
Sauer 303	5072-00133
Sauer 404	5072-00144
Sako 75	5072-00054
Sako 85 S	5072-00154
Sako 85 M	5072-00254
Tikka T3	5072-00107
Merkel KR1 Offset	5062-00162
Merkel KR1 ungekröpft	5062-00164
Merkel RX Helix	5062-00163
Blaser R93	5092-00193
Blaser R8	5090-00194

MAKuick Adapter	
Optic	Order number
For Steiner T332/T432	2460-52532
For MAKstorm 4x30i HD	2460-52580

Thermal Adapter	Order number
Guide TA 435 / BTC 35	2460-5110
Fortuna 50 M3	2460-5120
Pulsar Core FX Q55	2460-5130
Merlin 42	2460-5140
Nitehog	2460-5150
Dycon DNVC-3	2460-5160



Guide TA 435 /
BTC 35

Fortuna 50 M3

Pulsar Core FX
Q55

Merlin 42

Nitehog





Mounts for ATN


MAKflex Long



Order-No. (only Base Long)
 2010-0000 (Screw cap)
 21 (EAW)
 24 (original Steyr)

- Allows individual adaptation of ATN scopes to your weapon.
- Optimal eye relief
- Absolute repeatability.
- Machined from billet of 7075 T6 aluminum.
- All functional parts are manufactured from tempered steel hardened and coated.

MAKuick Long for Blaser




Order-No. (Ring)
 Overall height: 17 mm
 2460-3017

Order-No. (only Base Long)
 50921-00194

Rings for MAKflex, MAKuick and extension adapters available with different diameters and overall heights !
 (Page 24)

Ring Elongation Adapter for MAKuick and MAKflex



Order-No. (adapter)
 3300-5001

Order-No. (Rings)
 24655-3010
 Ring Ø30mm
 Ring BH. 10mm

Order-No. (only adapter)
 2460-0072



MAKcam



The patented MAKcam is a compact camera for telescopic sights and spotting scopes. It captures pictures and videos without impairing the function and handling of the optics.



Simultaneous aiming, shooting and recording.

Technical specifications

Memory card	32 GB
Resolution	720x480 px
Battery life	180 min
Connection	USB
Waterproof	1 m
Eyepiece mounts	40–46 mm Ø
Dimensions	87x60x41 mm
Weight	252 g
Order No.	14009003

MAKcam V3




Technical specifications

Memory card	32 GB
Resolution	720x480 px
Battery life	360 min
Connection	USB
Waterproof	1 m
Eyepiece mounts	40–46 mm Ø
Dimensions	81x70x19 mm
Weight	229 g
Order No.	14009005

- Slim, light, compact
- Long eye relief (appropriate for high-recoil calibers)
- Fast processor
- Removable battery
- For telescopic sights and spotting scopes
Simultaneous aiming, shooting and recording
- Recording on integrated memory card
Transfer and store on PC or mobile device (live streaming)
- Simple interface / operation



MAKcam V4



- Compatibility with optics up to 30x magnification
- FHD camera sensor
- Android and IOS application
- Streaming to mobile devices or PC
- Access to multiple MAKcam devices from one station.




MAKcam V4 Concept

- High definition live streaming upto 1000 meters with expansion module.
- Different ID for each device.
- Connection to local or mobile networks for streaming on the Internet with encryption. (Customized programming and protocol for high security of data.

Technical specifications

Memory card	64 GB
Resolution	2592 x 1944 px
Recording format	mp4
Battery life	150 min (Mixed use)
Connection	HDMI + WIFI 2.4 GHZ
Waterproof	IP 67
Eyepiece mounts	40–46 mm Ø
Dimensions	82x80x33 mm
Weight	238 g
Order No.	14009007

The eyepiece mount is available for eyepiece sizes from 40 to 46 mm.



MAKhellFire

LED illuminated visor

The patented MAK HellFire sight from MAK offers a clear view in all lighting conditions and shows a 3-point aiming marker.

A motion sensor activates the system, which consists of a visor unit with two actively illuminated targets and a passively illuminated visor. Various levels of intensity can be manually set, from NV mode to maximum brightness to flash the enemy and signal a ready-to-fire signal. The MAK HellFire sight is currently available for all -GLOCK pistols



- The LED-illuminated visor makes it easier to see the target day and night.
- Fast and high-contrast target detection.
- Only the sights and front sight will change on the weapon, no other changes are required.
- Automatic activation mode
- NV compatible


Technical specifications	
Illumination	LED
Brightness levels	5+2 NV
Battery	CR1632
Waterproof	1 m
Dimensions	81x70x19 mm
Weight	229 g
Order No.	28100



MAKgunScan

Certification system for short- and long-barreled weapons

MAKgunScan is the ultimate solution for manufacturers of both short and long-barreled guns. It is used for the official and extremely fast certification of a weapon. The system performs identification, trigger analysis, documentation and certification of three guns per minute.



- identification
- trigger analysis
- documentation
- certification

MAKiis

Integrated identification system



- Fast and safe
- Serial number identification
- Data transfer to any system
- Steps to Digital Data Collection (Industry 4.0)
- Continuous documentation with History / Database
- Barcode

38



Nature

Premium Stock Woods

Importation of exclusive stock blanks was the initial area of expertise when the company was formed. Our passion for this fascinating natural product continues! In contrast to our technically perfect products, products from nature has a fixed place in our portfolio - caucasian walnut.

We have one of the largest warehouses of stock blanks in Europe. Our noble and unique wood warms the heart of custom gun enthusiasts. We combine large variety, competent consultation to bring you closer to your dream firearm.

Visit our online stock wood shop to whet your appetite.



The Stock Wood Shop
can be reached at:

<https://www.schaftholz.com>
or scan the QR-Code

